



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	SUBURBAN DIAGNOSTICS (INDIA) PRIVATE LIMITED, SERAPH CENTER, SHAHU COLLEGE ROAD, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO 15189:2012		
Certificate Number	MC-2463	Page No	1 of 15
Validity	19/12/2019 to 18/12/2021*	Last Amended on	16/08/2020

*The validity is extended for one year up to 18.12.2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1	CLINICAL BIOCHEMISTRY	Body fluid	Glucose	Hexokinase
2	CLINICAL BIOCHEMISTRY	Body Fluids	Total Proteins	Turbidimetric assay
3	CLINICAL BIOCHEMISTRY	Body Fluids	Total Proteins	Biuret
4	CLINICAL BIOCHEMISTRY	Plasma	Glucose	Hexokinase
5	CLINICAL BIOCHEMISTRY	Serum	Free T3 (FT3)	CMIA
6	CLINICAL BIOCHEMISTRY	Serum	Free T4 (FT4)	CMIA
7	CLINICAL BIOCHEMISTRY	Serum	Insulin	ECLIA
8	CLINICAL BIOCHEMISTRY	Serum	Magnesium	Colorimetric
9	CLINICAL BIOCHEMISTRY	Serum	PSA	ECLIA
10	CLINICAL BIOCHEMISTRY	Serum	Total T3	CMIA
11	CLINICAL BIOCHEMISTRY	Serum	Total T4	CMIA
12	CLINICAL BIOCHEMISTRY	Serum	TSH	CMIA
13	CLINICAL BIOCHEMISTRY	Serum	Amylase	Enzymatic colorimetric assay
14	CLINICAL BIOCHEMISTRY	Serum	Lipase	Enzymatic colorimetric assay
15	CLINICAL BIOCHEMISTRY	Serum	Progesterone	ECLIA
16	CLINICAL BIOCHEMISTRY	Serum	Vitamin B12	CMIA
17	CLINICAL BIOCHEMISTRY	Serum	Vitamin D	CMIA
18	CLINICAL BIOCHEMISTRY	Serum	Alkaline Phosphatase	PNPP
19	CLINICAL BIOCHEMISTRY	Serum	A/G ratio	Calculated



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	SUBURBAN DIAGNOSTICS (INDIA) PRIVATE LIMITED, SERAPH CENTER, SHAHU COLLEGE ROAD, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO 15189:2012		
Certificate Number	MC-2463	Page No	2 of 15
Validity	19/12/2019 to 18/12/2021*	Last Amended on	16/08/2020

*The validity is extended for one year up to 18.12.2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
20	CLINICAL BIOCHEMISTRY	Serum	Albumin	Bromcresol Green (BCG)
21	CLINICAL BIOCHEMISTRY	Serum	Bilirubin-Direct	Diazo
22	CLINICAL BIOCHEMISTRY	Serum	Bilirubin-Indirect	Calculated
23	CLINICAL BIOCHEMISTRY	Serum	Bilirubin-Total	Diazo
24	CLINICAL BIOCHEMISTRY	Serum	Blood Urea	Urease & GLDH
25	CLINICAL BIOCHEMISTRY	Serum	BUN	Calculated
26	CLINICAL BIOCHEMISTRY	Serum	Calcium	N-BAPTA
27	CLINICAL BIOCHEMISTRY	Serum	Chloride	ISE Indirect
28	CLINICAL BIOCHEMISTRY	Serum	Chol/HDL chol ratio	Calculated
29	CLINICAL BIOCHEMISTRY	Serum	Cholesterol	CHOD-POD
30	CLINICAL BIOCHEMISTRY	Serum	Creatinine	Enzymatic
31	CLINICAL BIOCHEMISTRY	Serum	eGFR	Calculated
32	CLINICAL BIOCHEMISTRY	Serum	Estradiol (E2)	ECLIA
33	CLINICAL BIOCHEMISTRY	Serum	Free T3 (FT3)	ECLIA
34	CLINICAL BIOCHEMISTRY	Serum	Free T4 (FT4)	ECLIA
35	CLINICAL BIOCHEMISTRY	Serum	FSH	ECLIA
36	CLINICAL BIOCHEMISTRY	Serum	Gamma GT	IFCC
37	CLINICAL BIOCHEMISTRY	Serum	Globulin	Calculated
38	CLINICAL BIOCHEMISTRY	Serum	HCG	ECLIA
39	CLINICAL BIOCHEMISTRY	Serum	HDL Cholesterol	Homogenous Enzymatic Colorimetric Assay



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	SUBURBAN DIAGNOSTICS (INDIA) PRIVATE LIMITED, SERAPH CENTER, SHAHU COLLEGE ROAD, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO 15189:2012	Page No	3 of 15
Certificate Number	MC-2463	Last Amended on	16/08/2020
Validity	19/12/2019 to 18/12/2021*		

*The validity is extended for one year up to 18.12.2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
40	CLINICAL BIOCHEMISTRY	Serum	LDL Cholesterol	Homogenous Enzymatic Colorimetric Assay
41	CLINICAL BIOCHEMISTRY	Serum	LDL chol/HDL chol ratio	Calculated
42	CLINICAL BIOCHEMISTRY	Serum	LH	ECLIA
43	CLINICAL BIOCHEMISTRY	Serum	Non-HDL	Calculated
44	CLINICAL BIOCHEMISTRY	Serum	Phosphorus	Ammonium Molybdate
45	CLINICAL BIOCHEMISTRY	Serum	Potassium	ISE Indirect
46	CLINICAL BIOCHEMISTRY	Serum	Prolactin	ECLIA
47	CLINICAL BIOCHEMISTRY	Serum	SGOT	IFCC without pyridoxal phosphate activation
48	CLINICAL BIOCHEMISTRY	Serum	SGPT	IFCC without pyridoxal phosphate activation
49	CLINICAL BIOCHEMISTRY	Serum	Sodium	ISE Indirect
50	CLINICAL BIOCHEMISTRY	Serum	Total Proteins	Biuret
51	CLINICAL BIOCHEMISTRY	Serum	Total T3	ECLIA
52	CLINICAL BIOCHEMISTRY	Serum	Total T4	ECLIA
53	CLINICAL BIOCHEMISTRY	Serum	Triglycerides	GPO-POD
54	CLINICAL BIOCHEMISTRY	Serum	TSH	ECLIA
55	CLINICAL BIOCHEMISTRY	Serum	Uric Acid	Uricase
56	CLINICAL BIOCHEMISTRY	Serum	VLDL	Calculated
57	CLINICAL BIOCHEMISTRY	Urine	Amphetamine	Competitive immunochromatographic qualitative assay



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	SUBURBAN DIAGNOSTICS (INDIA) PRIVATE LIMITED, SERAPH CENTER, SHAHU COLLEGE ROAD, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO 15189:2012		
Certificate Number	MC-2463	Page No	4 of 15
Validity	19/12/2019 to 18/12/2021*	Last Amended on	16/08/2020

*The validity is extended for one year up to 18.12.2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
58	CLINICAL BIOCHEMISTRY	Urine	Barbiturate	Competitive immunochromatographic qualitative assay
59	CLINICAL BIOCHEMISTRY	Urine	Benzodiazepine	Competitive immunochromatographic qualitative assay
60	CLINICAL BIOCHEMISTRY	Urine	Cocaine	Competitive immunochromatographic qualitative assay
61	CLINICAL BIOCHEMISTRY	Urine	Marijuana	Competitive immunochromatographic qualitative assay
62	CLINICAL BIOCHEMISTRY	Urine	Methadone	Competitive immunochromatographic qualitative assay
63	CLINICAL BIOCHEMISTRY	Urine	Methamphetamine	Competitive immunochromatographic qualitative assay
64	CLINICAL BIOCHEMISTRY	Urine	Microproteins	Turbidimetric assay
65	CLINICAL BIOCHEMISTRY	Urine	Nicotine	Competitive immunochromatographic qualitative assay
66	CLINICAL BIOCHEMISTRY	Urine	Opiates	Competitive immunochromatographic qualitative assay



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

SUBURBAN DIAGNOSTICS (INDIA) PRIVATE LIMITED, SERAPH CENTER, SHAHU
COLLEGE ROAD, PUNE, MAHARASHTRA, INDIA

Accreditation Standard

ISO 15189:2012

Certificate Number

MC-2463

Page No

5 of 15

Validity

19/12/2019 to 18/12/2021*

Last Amended on

16/08/2020

*The validity is extended for one year up to 18.12.2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
67	CLINICAL BIOCHEMISTRY	Urine	Phencyclidine	Competitive immunochromatographic qualitative assay
68	CLINICAL BIOCHEMISTRY	Urine	Propoxyphene	Competitive immunochromatographic qualitative assay
69	CLINICAL BIOCHEMISTRY	Whole blood	HBA1C	HPLC
70	CLINICAL PATHOLOGY	Ascitic Fluid	Appearance	Visual Examination
71	CLINICAL PATHOLOGY	Ascitic Fluid	Color	Visual Examination
72	CLINICAL PATHOLOGY	Ascitic Fluid	Quantity	Volumetric
73	CLINICAL PATHOLOGY	Ascitic Fluid	RBC	Microscopy
74	CLINICAL PATHOLOGY	Ascitic Fluid	Total Nucleated Cells	Microscopy
75	CLINICAL PATHOLOGY	Ascitic Fluid	Routine Abnormal cells	Microscopy
76	CLINICAL PATHOLOGY	Ascitic Fluid	Routine-Differential count	Microscopy
77	CLINICAL PATHOLOGY	CSF	Appearance	Visual Examination
78	CLINICAL PATHOLOGY	CSF	Color	Visual Examination
79	CLINICAL PATHOLOGY	CSF	Quantity	Volumetric
80	CLINICAL PATHOLOGY	CSF	RBC	Microscopy
81	CLINICAL PATHOLOGY	CSF	Total Nucleated Cells	Microscopy
82	CLINICAL PATHOLOGY	CSF	Routine Abnormal cells	Microscopy
83	CLINICAL PATHOLOGY	CSF	Routine-Differential count	Microscopy
84	CLINICAL PATHOLOGY	Pleural Fluid	Appearance	Visual Examination



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	SUBURBAN DIAGNOSTICS (INDIA) PRIVATE LIMITED, SERAPH CENTER, SHAHU COLLEGE ROAD, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO 15189:2012		
Certificate Number	MC-2463	Page No	6 of 15
Validity	19/12/2019 to 18/12/2021*	Last Amended on	16/08/2020

*The validity is extended for one year up to 18.12.2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
85	CLINICAL PATHOLOGY	Pleural Fluid	Color	Visual Examination
86	CLINICAL PATHOLOGY	Pleural Fluid	Quantity	Volumetric
87	CLINICAL PATHOLOGY	Pleural Fluid	RBC	Microscopy
88	CLINICAL PATHOLOGY	Pleural Fluid	Total Nucleated Cells	Microscopy
89	CLINICAL PATHOLOGY	Pleural Fluid	Routine Abnormal cells	Microscopy
90	CLINICAL PATHOLOGY	Pleural Fluid	Routine-Differential count	Microscopy
91	CLINICAL PATHOLOGY	Semen	Abnormal head forms	Microscopy
92	CLINICAL PATHOLOGY	Semen	Abstinence	As per patient history
93	CLINICAL PATHOLOGY	Semen	Appearance	Visual Examination
94	CLINICAL PATHOLOGY	Semen	Epithelial cells	Microscopy
95	CLINICAL PATHOLOGY	Semen	Fructose	Chemical-Seliwanoff's test
96	CLINICAL PATHOLOGY	Semen	Immotile sperms	Microscopy
97	CLINICAL PATHOLOGY	Semen	Mid-portion abnormalities	Microscopy
98	CLINICAL PATHOLOGY	Semen	No. of sperms per ejaculate	Microscopy
99	CLINICAL PATHOLOGY	Semen	No. of sperms per ml	Microscopy
100	CLINICAL PATHOLOGY	Semen	Non progressive motility	Microscopy
101	CLINICAL PATHOLOGY	Semen	pH	pH Paper
102	CLINICAL PATHOLOGY	Semen	Progressive Motility	Microscopy
103	CLINICAL PATHOLOGY	Semen	Pus cells	Microscopy



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	SUBURBAN DIAGNOSTICS (INDIA) PRIVATE LIMITED, SERAPH CENTER, SHAHU COLLEGE ROAD, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO 15189:2012		
Certificate Number	MC-2463	Page No	7 of 15
Validity	19/12/2019 to 18/12/2021*	Last Amended on	16/08/2020

*The validity is extended for one year up to 18.12.2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
104	CLINICAL PATHOLOGY	Semen	Red Blood cells	Microscopy
105	CLINICAL PATHOLOGY	Semen	Self-liquefaction	Visual Examination
106	CLINICAL PATHOLOGY	Semen	Tail abnormalities	Microscopy
107	CLINICAL PATHOLOGY	Semen	Total motility	Microscopy
108	CLINICAL PATHOLOGY	Semen	Total normal forms	Microscopy
109	CLINICAL PATHOLOGY	Semen	Viscosity	Visual Examination
110	CLINICAL PATHOLOGY	Semen	Volume	Volumetric
111	CLINICAL PATHOLOGY	Stool	Color	Visual Examination
112	CLINICAL PATHOLOGY	Stool	Form & Consistency	Visual Examination
113	CLINICAL PATHOLOGY	Stool	Mucus	Visual Examination
114	CLINICAL PATHOLOGY	Stool	Blood	Visual Examination
115	CLINICAL PATHOLOGY	Stool	Ciliates	Microscopy
116	CLINICAL PATHOLOGY	Stool	Fat Globules	Microscopy
117	CLINICAL PATHOLOGY	Stool	Flagellates	Microscopy
118	CLINICAL PATHOLOGY	Stool	Macrophages	Microscopy
119	CLINICAL PATHOLOGY	Stool	Mucus	Microscopy
120	CLINICAL PATHOLOGY	Stool	Occult Blood	Chemical
121	CLINICAL PATHOLOGY	Stool	Ova	Microscopy
122	CLINICAL PATHOLOGY	Stool	Parasites	Microscopy
123	CLINICAL PATHOLOGY	Stool	Protozoa	Microscopy
124	CLINICAL PATHOLOGY	Stool	RBC/hpf	Microscopy
125	CLINICAL PATHOLOGY	Stool	Reaction (pH)	pH Paper



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	SUBURBAN DIAGNOSTICS (INDIA) PRIVATE LIMITED, SERAPH CENTER, SHAHU COLLEGE ROAD, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO 15189:2012		
Certificate Number	MC-2463	Page No	8 of 15
Validity	19/12/2019 to 18/12/2021*	Last Amended on	16/08/2020

*The validity is extended for one year up to 18.12.2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
126	CLINICAL PATHOLOGY	Stool	Reducing Substances	Chemical-Benedict's
127	CLINICAL PATHOLOGY	Stool	Undigested particles	Microscopy
128	CLINICAL PATHOLOGY	Stool	WBC/hpf	Microscopy
129	CLINICAL PATHOLOGY	Stool	Yeast cells	Microscopy
130	CLINICAL PATHOLOGY	Synovial fluid	Appearance	Visual Examination
131	CLINICAL PATHOLOGY	Synovial fluid	Color	Visual Examination
132	CLINICAL PATHOLOGY	Synovial fluid	Quantity	Volumetric
133	CLINICAL PATHOLOGY	Synovial fluid	RBC	Microscopy
134	CLINICAL PATHOLOGY	Synovial fluid	Total Nucleated Cells	Microscopy
135	CLINICAL PATHOLOGY	Synovial fluid	Routine Abnormal cells	Microscopy
136	CLINICAL PATHOLOGY	Synovial fluid	Routine-Differential count	Microscopy
137	CLINICAL PATHOLOGY	Urine	Color	Visual Examination
138	CLINICAL PATHOLOGY	Urine	Glucose	Chemical- Benedict's Qualitative Test
139	CLINICAL PATHOLOGY	Urine	Glucose	GOD-POD
140	CLINICAL PATHOLOGY	Urine	Glucose	Reflectance spectrophotometry
141	CLINICAL PATHOLOGY	Urine	Proteins	Chemical - Sulphosalicylic Acid Test
142	CLINICAL PATHOLOGY	Urine	Proteins	Chemical- Protein error of pH Indicator
143	CLINICAL PATHOLOGY	Urine	Proteins	Reflectance spectrophotometry



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	SUBURBAN DIAGNOSTICS (INDIA) PRIVATE LIMITED, SERAPH CENTER, SHAHU COLLEGE ROAD, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO 15189:2012		
Certificate Number	MC-2463	Page No	9 of 15
Validity	19/12/2019 to 18/12/2021*	Last Amended on	16/08/2020

*The validity is extended for one year up to 18.12.2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
144	CLINICAL PATHOLOGY	Urine	Reaction	Chemical- pH Indicator
145	CLINICAL PATHOLOGY	Urine	Specific Gravity	Chemical- Ion concentration
146	CLINICAL PATHOLOGY	Urine	Transparency	Visual Examination
147	CLINICAL PATHOLOGY	Urine	Volume	Volumetric
148	CLINICAL PATHOLOGY	Urine	Amorphous debris	Microscopy
149	CLINICAL PATHOLOGY	Urine	Bacteria	Microscopy
150	CLINICAL PATHOLOGY	Urine	Bile Pigments	Chemical- Coupling of bilirubin with diazonium salt
151	CLINICAL PATHOLOGY	Urine	Bile Pigments	Chemical- Fouchets Test
152	CLINICAL PATHOLOGY	Urine	Bile Pigments	Reflectance spectrophotometry
153	CLINICAL PATHOLOGY	Urine	Casts	Microscopy
154	CLINICAL PATHOLOGY	Urine	Crystals	Microscopy
155	CLINICAL PATHOLOGY	Urine	Epithelial cells	Microscopy
156	CLINICAL PATHOLOGY	Urine	Ketones	Chemical- Legal's test
157	CLINICAL PATHOLOGY	Urine	Ketones	Reflectance spectrophotometry
158	CLINICAL PATHOLOGY	Urine	Leukocytes	Chemical- Granulocyte esterases
159	CLINICAL PATHOLOGY	Urine	Nitrite	Chemical- Griess test
160	CLINICAL PATHOLOGY	Urine	Occult Blood	Chemical- Peroxidase reaction



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	SUBURBAN DIAGNOSTICS (INDIA) PRIVATE LIMITED, SERAPH CENTER, SHAHU COLLEGE ROAD, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO 15189:2012	Page No	10 of 15
Certificate Number	MC-2463	Last Amended on	16/08/2020
Validity	19/12/2019 to 18/12/2021*		

*The validity is extended for one year up to 18.12.2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
161	CLINICAL PATHOLOGY	Urine	Occult Blood	Reflectance spectrophotometry
162	CLINICAL PATHOLOGY	Urine	Red Blood cells	Microscopy
163	CLINICAL PATHOLOGY	Urine	UPT	Immunochemistry
164	CLINICAL PATHOLOGY	Urine	Urobilinogen	Chemical- Diazonium salt
165	HAEMATOLOGY	3.2% Citrate Plasma	PT	Optical
166	HAEMATOLOGY	3.2% Citrate Plasma	PTT	Optical
167	HAEMATOLOGY	EDTA OR 3.8% - Citrate Whole Blood	ESR	Modified Westergren's Method
168	HAEMATOLOGY	EDTA Whole Blood	DCT	CAT method
169	HAEMATOLOGY	EDTA Whole Blood	DCT	Manual
170	HAEMATOLOGY	EDTA Whole Blood	Hb A2	HPLC
171	HAEMATOLOGY	EDTA Whole Blood	Hb F	HPLC
172	HAEMATOLOGY	EDTA Whole Blood	MP Slide (Thick and Thin)	Microscopy- Thin & Thick Smears
173	HAEMATOLOGY	EDTA Whole Blood	MP-Antigen Test	Rapid Detection of pLDH
174	HAEMATOLOGY	EDTA Whole Blood	Reticulocyte Count (Manual)	Microscopy- Supravital Staining
175	HAEMATOLOGY	EDTA Whole Blood	G6PD (Qualitative)	Dye reduction time with patients red cell hemolysate
176	HAEMATOLOGY	EDTA Whole Blood	Basophils #	Calculated
177	HAEMATOLOGY	EDTA Whole Blood	Basophils %	Absorbance & Electrical Impedence/Microscopy



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	SUBURBAN DIAGNOSTICS (INDIA) PRIVATE LIMITED, SERAPH CENTER, SHAHU COLLEGE ROAD, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO 15189:2012		
Certificate Number	MC-2463	Page No	11 of 15
Validity	19/12/2019 to 18/12/2021*	Last Amended on	16/08/2020

*The validity is extended for one year up to 18.12.2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
178	HAEMATOLOGY	EDTA Whole Blood	Eosinophils #	Calculated
179	HAEMATOLOGY	EDTA Whole Blood	Eosinophils %	Absorbance & Electrical Impedence/Microscopy
180	HAEMATOLOGY	EDTA Whole Blood	Lymphocytes #	Calculated
181	HAEMATOLOGY	EDTA Whole Blood	Lymphocytes %	Absorbance & Electrical Impedence/Microscopy
182	HAEMATOLOGY	EDTA Whole Blood	Monocytes #	Calculated
183	HAEMATOLOGY	EDTA Whole Blood	Monocytes %	Absorbance & Electrical Impedence/Microscopy
184	HAEMATOLOGY	EDTA Whole Blood	Neutrophils #	Calculated
185	HAEMATOLOGY	EDTA Whole Blood	Neutrophils %	Absorbance & Electrical Impedence/Microscopy
186	HAEMATOLOGY	EDTA Whole Blood	Platelets	Electrical impedence
187	HAEMATOLOGY	EDTA Whole Blood	Erythrocyte count	Electrical impedence
188	HAEMATOLOGY	EDTA Whole Blood	Hb S	HPLC
189	HAEMATOLOGY	EDTA Whole Blood	Hemoglobin	Spectrophotometric
190	HAEMATOLOGY	EDTA Whole Blood	MCH	Calculated
191	HAEMATOLOGY	EDTA Whole Blood	MCHC	Calculated
192	HAEMATOLOGY	EDTA Whole Blood	MCV	Calculated
193	HAEMATOLOGY	EDTA Whole Blood	MPV	Calculated
194	HAEMATOLOGY	EDTA Whole Blood	PCV/HCT	Calculated
195	HAEMATOLOGY	EDTA Whole Blood	PDW	Calculated



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	SUBURBAN DIAGNOSTICS (INDIA) PRIVATE LIMITED, SERAPH CENTER, SHAHU COLLEGE ROAD, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO 15189:2012		
Certificate Number	MC-2463	Page No	12 of 15
Validity	19/12/2019 to 18/12/2021*	Last Amended on	16/08/2020

*The validity is extended for one year up to 18.12.2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
196	HAEMATOLOGY	EDTA Whole Blood	Peripheral Smear Examination	Microscopy
197	HAEMATOLOGY	EDTA Whole Blood	RDW-CV	Calculated
198	HAEMATOLOGY	EDTA Whole Blood	WBC-Total count	Electrical impedance
199	HAEMATOLOGY	EDTA Whole Blood/Plasma	Blood Grouping	Column Agglutination Technology (Forward & Reverse)
200	HAEMATOLOGY	EDTA Whole Blood/Plasma	Blood Grouping	Manual Method (Forward & Reverse)
201	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Adult Bottle (Green cap Bottle)10 ml blood for adults	Aerobic Blood Culture	Colorimetric detection
202	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Pediatric bottle (Yellow cap Bottle) 1- 5 ml blood	Aerobic Blood Culture	Colorimetric detection
203	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	Chikungunya IgM	Immunochromatographic assay
204	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	CRP (Quantitative)	Immunturbidimetry
205	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	Dengue IgG	ELISA
206	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	Dengue IgM	ELISA



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	SUBURBAN DIAGNOSTICS (INDIA) PRIVATE LIMITED, SERAPH CENTER, SHAHU COLLEGE ROAD, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO 15189:2012		
Certificate Number	MC-2463	Page No	13 of 15
Validity	19/12/2019 to 18/12/2021*	Last Amended on	16/08/2020

*The validity is extended for one year up to 18.12.2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
207	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	Dengue NS1 Ag/Ab Card Test	Immunochromatographic assay
208	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	Dengue NS1	ELISA
209	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	HCV Antibody detection	CMIA
210	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	HCV Antibody detection	Rapid Visual Immunofiltration
211	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	Hepatitis B Virus Antigen (HBsAg)	CMIA
212	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	Hepatitis B Virus Antigen (HBsAg)	Sandwich Immunoassay (Rapid)
213	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	HIV Antibody detection	CMIA
214	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	HIV Antibody detection	Rapid Visual Immunofiltration
215	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	HIV Antibody detection	Immunochromatography



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	SUBURBAN DIAGNOSTICS (INDIA) PRIVATE LIMITED, SERAPH CENTER, SHAHU COLLEGE ROAD, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO 15189:2012	Page No	14 of 15
Certificate Number	MC-2463	Last Amended on	16/08/2020
Validity	19/12/2019 to 18/12/2021*		

*The validity is extended for one year up to 18.12.2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
216	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	RA	Immunoturbidimetry
217	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	Rapid Plasma Reagin test	Flocculation
218	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	Rapid Typhoid	Immuno-chromatographic assay
219	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	Widal	Serum/Agglutination Tube Test (upto titre 1:320)
220	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Sputum, BAL, CSF, Pleural fluid, Ascitic fluid, Synovial fluid, Urine, Tissue, Pus	AFB Smear	Microscopy
221	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Urine, sputum, CSF, Pleural fluid, Ascitic fluid, Synovial fluid, Stool, Pus, Pus swab, Skin, Hair, Nail, Blood	Fungal Smear/KOH Mount	Microscopy
222	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Urine, Sputum, CSF, Pleural fluid, Ascitic fluid, Synovial fluid, Stool, Pus, Pus swab, Tissue	Aerobic Cultures & Sensitivity	Turbidimetric detection of MIC values in antimicrobial susceptibility, colorimetric detection in identification



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	SUBURBAN DIAGNOSTICS (INDIA) PRIVATE LIMITED, SERAPH CENTER, SHAHU COLLEGE ROAD, PUNE, MAHARASHTRA, INDIA		
Accreditation Standard	ISO 15189:2012		
Certificate Number	MC-2463	Page No	15 of 15
Validity	19/12/2019 to 18/12/2021*	Last Amended on	16/08/2020

*The validity is extended for one year up to 18.12.2022

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
223	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Urine, Sputum, CSF, Pleural fluid, Ascitic fluid, Synovial fluid, Stool, Pus, Pus swab, Tissue	Gram Stain	Microscopy
224	MOLECULAR TESTING	Nasopharyngeal swab / oropharyngeal swab in VTM/ ET secretions / BAL in VTM	H1N1 A RNA Qualitative	Real Time RT PCR (Open System)