



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD., SHOP NO 11, 12, 13, SILVA JEWEL, AQUEM ALTO, MADGAON, SOUTH GOA, GOA, INDIA		
Accreditation Standard	ISO 15189:2012		
Certificate Number	MC-5274	Page No	1 of 21
Validity	17/07/2022 to 16/07/2024	Last Amended on	-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
Permanent Facility				
1	CLINICAL BIOCHEMISTRY	Body fluids(Ascitic fluid,Pleural fluid,Synovial fluid)	Total Proteins	Turbidimetric
2	CLINICAL BIOCHEMISTRY	Body fluids(CSF,Ascitic fluid,Pleural fluid,Synovial fluid)	Glucose	Hexokinase
3	CLINICAL BIOCHEMISTRY	EDTA	Glyco Hb	HPLC
4	CLINICAL BIOCHEMISTRY	Fluoride plasma	Glucose	Hexokinase
5	CLINICAL BIOCHEMISTRY	Serum	Creatinine	Enzymatic
6	CLINICAL BIOCHEMISTRY	Serum	Free T4 (FT4)	ECLIA
7	CLINICAL BIOCHEMISTRY	Serum	Gamma GT (GGT)	IFCC
8	CLINICAL BIOCHEMISTRY	Serum	HCG	ECLIA
9	CLINICAL BIOCHEMISTRY	Serum	LDL chol/HDL chol ratio	Calculated
10	CLINICAL BIOCHEMISTRY	Serum	LH	ECLIA
11	CLINICAL BIOCHEMISTRY	Serum	Phosphorus	Ammonium molybdate
12	CLINICAL BIOCHEMISTRY	Serum	Prolactin	ECLIA
13	CLINICAL BIOCHEMISTRY	Serum	SGOT	IFCC without pyridoxal phosphate activation
14	CLINICAL BIOCHEMISTRY	Serum	SGPT	IFCC without pyridoxal phosphate activation
15	CLINICAL BIOCHEMISTRY	Serum	Total Proteins	Biuret
16	CLINICAL BIOCHEMISTRY	Serum	Total T4	ECLIA
17	CLINICAL BIOCHEMISTRY	Serum	TSH	ECLIA
18	CLINICAL BIOCHEMISTRY	Serum	Albumin	BCG
19	CLINICAL BIOCHEMISTRY	Serum	Alkaline Phosphatase	PNPP
20	CLINICAL BIOCHEMISTRY	Serum	Bilirubin-Direct	Diazo
21	CLINICAL BIOCHEMISTRY	Serum	Bilirubin-Indirect	Calculated
22	CLINICAL BIOCHEMISTRY	Serum	Bilirubin-Total	Diazo
23	CLINICAL BIOCHEMISTRY	Serum	Blood Urea	Urease & GLDH
24	CLINICAL BIOCHEMISTRY	Serum	BUN	Calculated
25	CLINICAL BIOCHEMISTRY	Serum	Calcium	N- BAPTA
26	CLINICAL BIOCHEMISTRY	Serum	Chloride	Indirect ISE
27	CLINICAL BIOCHEMISTRY	Serum	Chol/HDL chol ratio	Calculated



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name : SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD., SHOP NO 11, 12, 13, SILVA JEWEL, AQUEM ALTO, MADGAON, SOUTH GOA, GOA, INDIA

Accreditation Standard ISO 15189:2012

Certificate Number MC-5274 **Page No** 2 of 21

Validity 17/07/2022 to 16/07/2024 **Last Amended on** -

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
28	CLINICAL BIOCHEMISTRY	Serum	Cholesterol	CHOD-POD
29	CLINICAL BIOCHEMISTRY	Serum	eGFR	Calculated
30	CLINICAL BIOCHEMISTRY	Serum	Free T3 (FT3)	ECLIA
31	CLINICAL BIOCHEMISTRY	Serum	FSH	ECLIA
32	CLINICAL BIOCHEMISTRY	Serum	Globulin	Calculated
33	CLINICAL BIOCHEMISTRY	Serum	HDL Chol-Direct	Homogeneous Enzymatic Colorimetric assay
34	CLINICAL BIOCHEMISTRY	Serum	LDL Chol-Direct	Homogeneous Enzymatic Colorimetric assay
35	CLINICAL BIOCHEMISTRY	Serum	Non-HDL	Calculated
36	CLINICAL BIOCHEMISTRY	Serum	Potassium	Indirect ISE
37	CLINICAL BIOCHEMISTRY	Serum	PSA	ECLIA
38	CLINICAL BIOCHEMISTRY	Serum	Sodium	Indirect ISE
39	CLINICAL BIOCHEMISTRY	Serum	Total T3	ECLIA
40	CLINICAL BIOCHEMISTRY	Serum	Triglycerides	GPO-POD
41	CLINICAL BIOCHEMISTRY	Serum	Uric Acid	Uricase
42	CLINICAL BIOCHEMISTRY	Serum	Vitamin D	ECLIA
43	CLINICAL BIOCHEMISTRY	Serum	VLDL	Calculated
44	CLINICAL BIOCHEMISTRY	Serum	A/G ratio	Calculated
45	CLINICAL PATHOLOGY	Body fluids(CSF, Ascitic fluid,Pleural fluid,Synovial fluid)	Color	Visual Examination
46	CLINICAL PATHOLOGY	Body fluids(CSF, Ascitic fluid,Pleural fluid,Synovial fluid)	RBC	Microscopy
47	CLINICAL PATHOLOGY	Body fluids(CSF, Ascitic fluid,Pleural fluid,Synovial fluid)	Routine-Differential count	Microscopy
48	CLINICAL PATHOLOGY	Body fluids(CSF, Ascitic fluid,Pleural fluid,Synovial fluid)	Quantity	Volumetric
49	CLINICAL PATHOLOGY	Body fluids(CSF, Ascitic fluid,Pleural fluid,Synovial fluid)	Appearance	Visual Examination
50	CLINICAL PATHOLOGY	Body fluids(CSF, Ascitic fluid,Pleural fluid,Synovial fluid)	Routine-Abnormal cells	Microscopy
51	CLINICAL PATHOLOGY	Body fluids(CSF, Ascitic fluid,Pleural fluid,Synovial fluid)	Total Nucleated Cells	Microscopy
52	CLINICAL PATHOLOGY	Semen	Colour	Visual Examination



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD., SHOP NO 11, 12, 13, SILVA JEWEL, AQUEM ALTO, MADGAON, SOUTH GOA, GOA, INDIA

Accreditation Standard

ISO 15189:2012

Certificate Number

MC-5274

Page No

3 of 21

Validity

17/07/2022 to 16/07/2024

Last Amended on

-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
53	CLINICAL PATHOLOGY	Semen	Ejaculate volume	Volumetric
54	CLINICAL PATHOLOGY	Semen	Epithelial cells / hpf	Microscopy
55	CLINICAL PATHOLOGY	Semen	Fructose	Chemical-Seliwanoff's test
56	CLINICAL PATHOLOGY	Semen	Liquefaction	Visual Examination
57	CLINICAL PATHOLOGY	Semen	Morphology - Abnormal head forms (%)	Microscopy
58	CLINICAL PATHOLOGY	Semen	Morphology - Abnormal midpiece (%)	Microscopy
59	CLINICAL PATHOLOGY	Semen	Morphology - Abnormal tail (%)	Microscopy
60	CLINICAL PATHOLOGY	Semen	Morphology - Excessive residual cytoplasm (%)	Microscopy
61	CLINICAL PATHOLOGY	Semen	Motility - Immotile (d) (%)	Microscopy
62	CLINICAL PATHOLOGY	Semen	Motility - Non Progressive (c) (%)	Microscopy
63	CLINICAL PATHOLOGY	Semen	Motility - Rapidly Progressive (a) (%)	Microscopy
64	CLINICAL PATHOLOGY	Semen	Motility - Slow Progressive (b) (%)	Microscopy
65	CLINICAL PATHOLOGY	Semen	No. of sperms/ejaculate	Microscopy-Neubauer chamber
66	CLINICAL PATHOLOGY	Semen	No. of sperms/ml	Microscopy-Neubauer chamber
67	CLINICAL PATHOLOGY	Semen	Odour	Physical Examination
68	CLINICAL PATHOLOGY	Semen	pH	pH Paper
69	CLINICAL PATHOLOGY	Semen	Red blood cells /hpf	Microscopy
70	CLINICAL PATHOLOGY	Semen	Round cells / hpf	Microscopy
71	CLINICAL PATHOLOGY	Semen	Sperm aggregates	Microscopy
72	CLINICAL PATHOLOGY	Semen	Total motility (a+b+c) (%)	Microscopy
73	CLINICAL PATHOLOGY	Semen	Total normal forms (%)	Microscopy
74	CLINICAL PATHOLOGY	Semen	Viscosity	Visual Examination
75	CLINICAL PATHOLOGY	Stool	Blood	Visual Examination
76	CLINICAL PATHOLOGY	Stool	Color	Visual Examination
77	CLINICAL PATHOLOGY	Stool	Flagellates	Microscopy
78	CLINICAL PATHOLOGY	Stool	Macrophages	Microscopy
79	CLINICAL PATHOLOGY	Stool	Mucus	Microscopy
80	CLINICAL PATHOLOGY	Stool	Parasites	Microscopy
81	CLINICAL PATHOLOGY	Stool	RBC/hpf	Microscopy



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD., SHOP NO 11, 12, 13, SILVA JEWEL,
AQUEM ALTO, MADGAON, SOUTH GOA, GOA, INDIA

Accreditation Standard

ISO 15189:2012

Certificate Number

MC-5274

Page No

4 of 21

Validity

17/07/2022 to 16/07/2024

Last Amended on

-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
82	CLINICAL PATHOLOGY	Stool	Reducing Substances	Chemical
83	CLINICAL PATHOLOGY	Stool	WBC/hpf	Microscopy
84	CLINICAL PATHOLOGY	Stool	Ciliates	Microscopy
85	CLINICAL PATHOLOGY	Stool	Fat Globules	Microscopy
86	CLINICAL PATHOLOGY	Stool	Form & Consistency	Visual Examination
87	CLINICAL PATHOLOGY	Stool	Mucus	Visual Examination
88	CLINICAL PATHOLOGY	Stool	Occult Blood	Chemical
89	CLINICAL PATHOLOGY	Stool	Ova	Microscopy
90	CLINICAL PATHOLOGY	Stool	Protozoa	Microscopy
91	CLINICAL PATHOLOGY	Stool	Reaction (pH)	pH Paper
92	CLINICAL PATHOLOGY	Stool	Undigested particles	Microscopy
93	CLINICAL PATHOLOGY	Stool	Yeast cells	Microscopy
94	CLINICAL PATHOLOGY	Urine	Amorphous debris	Microscopy
95	CLINICAL PATHOLOGY	Urine	Bile Pigments	Chemical- Coupling of bilirubin with diazonium salt
96	CLINICAL PATHOLOGY	Urine	Clarity	Visual Examination
97	CLINICAL PATHOLOGY	Urine	Color	Visual Examination
98	CLINICAL PATHOLOGY	Urine	Epithelial cells	Microscopy
99	CLINICAL PATHOLOGY	Urine	Ketones	Chemical- Legal's test
100	CLINICAL PATHOLOGY	Urine	Nitrite	Chemical- Griess test
101	CLINICAL PATHOLOGY	Urine	Proteins	Chemical- Protein error of pH Indicator
102	CLINICAL PATHOLOGY	Urine	Red Blood cells	Microscopy
103	CLINICAL PATHOLOGY	Urine	Urobilinogen	Chemical- Diazonium salt
104	CLINICAL PATHOLOGY	Urine	Bacteria	Microscopy
105	CLINICAL PATHOLOGY	Urine	Casts	Microscopy
106	CLINICAL PATHOLOGY	Urine	Crystals	Microscopy
107	CLINICAL PATHOLOGY	Urine	Glucose	Chemical- GOD-POD
108	CLINICAL PATHOLOGY	Urine	leukocytes	Microscopy
109	CLINICAL PATHOLOGY	Urine	Occult Blood	Chemical- Peroxidase reaction
110	CLINICAL PATHOLOGY	Urine	Reaction	Chemical- pH Indicator



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD., SHOP NO 11, 12, 13, SILVA JEWEL, AQUEM ALTO, MADGAON, SOUTH GOA, GOA, INDIA

Accreditation Standard

ISO 15189:2012

Certificate Number

MC-5274

Page No

5 of 21

Validity

17/07/2022 to 16/07/2024

Last Amended on

-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
111	CLINICAL PATHOLOGY	Urine	Specific Gravity	Chemical- Ion concentration
112	CLINICAL PATHOLOGY	Urine	UPT	Immunochemistry
113	CLINICAL PATHOLOGY	Urine	Volume	Volumetric
114	HAEMATOLOGY	3-2% Citrate Plasma	PTT	Optical
115	HAEMATOLOGY	3-2% Citrate Plasma	PT	Optical
116	HAEMATOLOGY	EDTA OR 3-8% - Citrate Whole Blood	ESR	Westergren's Method
117	HAEMATOLOGY	EDTA Whole Blood	Basophils %	Absorbance & Electrical Impedence/Microscopy
118	HAEMATOLOGY	EDTA Whole Blood	Basophils Absolute	Calculated
119	HAEMATOLOGY	EDTA Whole Blood	Blood Grouping	Tube Method (Forward & Reverse)
120	HAEMATOLOGY	EDTA Whole Blood	Eosinophils %	Absorbance & Electrical Impedence/Microscopy
121	HAEMATOLOGY	EDTA Whole Blood	Hemoglobin	Spectrophotometric (Cyanide Free)
122	HAEMATOLOGY	EDTA Whole Blood	Immature leukocyte	Microscopy
123	HAEMATOLOGY	EDTA Whole Blood	Lymphocytes %	Absorbance & Electrical Impedence/Microscopy
124	HAEMATOLOGY	EDTA Whole Blood	Lymphocytes Absolute	Calculated
125	HAEMATOLOGY	EDTA Whole Blood	MCHC	Calculated
126	HAEMATOLOGY	EDTA Whole Blood	Monocytes Absolute	Calculated
127	HAEMATOLOGY	EDTA Whole Blood	MP Smear	Thin smear:Leishman stain/Thick smear:Fields stain A & B and Microscopy
128	HAEMATOLOGY	EDTA Whole Blood	MPV	Calculated
129	HAEMATOLOGY	EDTA Whole Blood	Neutrophils %	Absorbance & Electrical Impedence/Microscopy
130	HAEMATOLOGY	EDTA Whole Blood	PDW	Calculated
131	HAEMATOLOGY	EDTA Whole Blood	Platelets	Electrical impedance
132	HAEMATOLOGY	EDTA Whole Blood	RDW - CV	Calculated
133	HAEMATOLOGY	EDTA Whole Blood	Eosinophils Absolute	Calculated
134	HAEMATOLOGY	EDTA Whole Blood	Erythrocyte count	Electrical impedance
135	HAEMATOLOGY	EDTA Whole Blood	MCH	Calculated
136	HAEMATOLOGY	EDTA Whole Blood	MCV	Calculated



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :

SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD., SHOP NO 11, 12, 13, SILVA JEWEL, AQUEM ALTO, MADGAON, SOUTH GOA, GOA, INDIA

Accreditation Standard

ISO 15189:2012

Certificate Number

MC-5274

Page No

6 of 21

Validity

17/07/2022 to 16/07/2024

Last Amended on

-

S.No	Discipline / Group	Materials or Products tested	Component, parameter or characteristic tested / Specific Test Performed / Tests or type of tests performed	Test Method Specification against which tests are performed and / or the techniques / equipment used
137	HAEMATOLOGY	EDTA Whole Blood	Monocytes %	Absorbance & Electrical Impedence/Microscopy
138	HAEMATOLOGY	EDTA Whole Blood	MP-Ag Test	Rapid Detection of pLDH for Plasmodium vivax & HRP-2 for Plasmodium falciparum
139	HAEMATOLOGY	EDTA Whole Blood	Neutrophils Absolute	Calculated
140	HAEMATOLOGY	EDTA Whole Blood	PCV/HCT	Calculated
141	HAEMATOLOGY	EDTA Whole Blood	Platelet morphology	Microscopy
142	HAEMATOLOGY	EDTA Whole Blood	RBC morphology	Microscopy
143	HAEMATOLOGY	EDTA Whole Blood	Reticulocyte Count	Microscopy - Methylene Blue Staining
144	HAEMATOLOGY	EDTA Whole Blood	WBC-Total count	Electrical impedance
145	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	EDTA Whole Blood	Blood Grouping	Forward & reverse grouping (Tube agglutination)
146	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Nasopharyngeal swab	SARS CoV-2 Antigen, Rapid Card Test	Immunochemistry
147	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	HIV	Rapid Visual Immunofiltration
148	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	HIV	ECLIA
149	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	RA	Immunoturbidimetry
150	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	Widal	Tube Agglutination
151	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	CRP (Quantitative)	Immunoturbidimetry
152	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	Dengue NS1 Ag/Ab Card Test	Immunochemical assay
153	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	Hepatitis B Virus Antigen (HBsAg)	Immunochemistry
154	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	HIV	Immunochemistry
155	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	VDRL	Flocculation (RPR)
156	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	Anti HCV Total	ECLIA
157	MICROBIOLOGY & INFECTIOUS DISEASE SEROLOGY	Serum	Hepatitis B Virus Antigen (HBsAg)	ECLIA



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD., SHOP NO 11, 12, 13, SILVA JEWEL, AQUEM ALTO, MADGAON, SOUTH GOA, GOA, INDIA		
Accreditation Standard	ISO 15189:2012		
Certificate Number	MC-5274	Page No	7 of 21
Validity	17/07/2022 to 16/07/2024	Last Amended on	-

Recognised Sample Collection Center/Facility

ID of Sample Collection Center / Facility	Name of Sample Collection Center / Facility, Location	Address of Sample Collection Center / Facility
0005702	Suburban Diagnostics-Goa Navelim, Rosary Pathology, Navelim	L and L Mascarenhas Heritage Building , opp Rosary Church , Ratwaddo Road , Navelim , Goa - 403707



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD., SHOP NO 11, 12, 13, SILVA JEWEL, AQUEM ALTO, MADGAON, SOUTH GOA, GOA, INDIA		
Accreditation Standard	ISO 15189:2012		
Certificate Number	MC-5274	Page No	8 of 21
Validity	17/07/2022 to 16/07/2024	Last Amended on	-

Recognised Sample Collection Center/Facility

ID of Sample Collection Center / Facility	Name of Sample Collection Center / Facility, Location	Address of Sample Collection Center / Facility
0005704	Suburban Diagnostics-Quepem South Goa, Prutha Healthcare, Quepem	Angelica Arcade , shop No .DGS-5/174 , Main Market , Near blue Dart Courier Service , Quepem ,Goa - 403705



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD., SHOP NO 11, 12, 13, SILVA JEWEL, AQUEM ALTO, MADGAON, SOUTH GOA, GOA, INDIA		
Accreditation Standard	ISO 15189:2012		
Certificate Number	MC-5274	Page No	9 of 21
Validity	17/07/2022 to 16/07/2024	Last Amended on	-

Recognised Sample Collection Center/Facility

ID of Sample Collection Center / Facility	Name of Sample Collection Center / Facility, Location	Address of Sample Collection Center / Facility
0005707	Suburban Diagnostics-Margao Goa, HS Health, Margao, HS Health	Ground Floor La Vivenda, Subraya Naik Road, Old Market, Margao, Goa-403601



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD., SHOP NO 11, 12, 13, SILVA JEWEL, AQUEM ALTO, MADGAON, SOUTH GOA, GOA, INDIA		
Accreditation Standard	ISO 15189:2012		
Certificate Number	MC-5274	Page No	10 of 21
Validity	17/07/2022 to 16/07/2024	Last Amended on	-

Recognised Sample Collection Center/Facility

ID of Sample Collection Center / Facility	Name of Sample Collection Center / Facility, Location	Address of Sample Collection Center / Facility
0005709	Suburban Diagnostics, Porvorim-North Goa (Main Centre), Porvorim, North Goa	Technopark, C2, F1 & F2, Chogem Road, Behind Poshak Showroom, Porvorim, Bardez, Goa 403513



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD., SHOP NO 11, 12, 13, SILVA JEWEL, AQUEM ALTO, MADGAON, SOUTH GOA, GOA, INDIA		
Accreditation Standard	ISO 15189:2012		
Certificate Number	MC-5274	Page No	11 of 21
Validity	17/07/2022 to 16/07/2024	Last Amended on	-

Recognised Sample Collection Center/Facility

ID of Sample Collection Center / Facility	Name of Sample Collection Center / Facility, Location	Address of Sample Collection Center / Facility
0005710	Suburban Diagnostics-Raia South Goa, SD Ventures, Raia South Goa, SD Ventures	Shop No- 533/1, Quevon, Raia, Salcette, Goa - 403720



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD., SHOP NO 11, 12, 13, SILVA JEWEL, AQUEM ALTO, MADGAON, SOUTH GOA, GOA, INDIA		
Accreditation Standard	ISO 15189:2012		
Certificate Number	MC-5274	Page No	12 of 21
Validity	17/07/2022 to 16/07/2024	Last Amended on	-

Recognised Sample Collection Center/Facility

ID of Sample Collection Center / Facility	Name of Sample Collection Center / Facility, Location	Address of Sample Collection Center / Facility
0005711	Suburban Diagnostics-Panjim, North Goa COCO, Panjim	Shop No 2, Karimi Mansion, Behind Goa Pharmacy College, St Inez, Panjim Goa



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD., SHOP NO 11, 12, 13, SILVA JEWEL, AQUEM ALTO, MADGAON, SOUTH GOA, GOA, INDIA		
Accreditation Standard	ISO 15189:2012		
Certificate Number	MC-5274	Page No	13 of 21
Validity	17/07/2022 to 16/07/2024	Last Amended on	-

Recognised Sample Collection Center/Facility

ID of Sample Collection Center / Facility	Name of Sample Collection Center / Facility, Location	Address of Sample Collection Center / Facility
0005712	Suburban Diagnostics-Anjuna North Goa, Lobo Enterprise, Anjuna	Unit no 1605/1, Grande Chinvar, opp. Hacienda De Goa Resort, Anjuna, Goa 403509



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD., SHOP NO 11, 12, 13, SILVA JEWEL, AQUEM ALTO, MADGAON, SOUTH GOA, GOA, INDIA		
Accreditation Standard	ISO 15189:2012		
Certificate Number	MC-5274	Page No	14 of 21
Validity	17/07/2022 to 16/07/2024	Last Amended on	-

Recognised Sample Collection Center/Facility

ID of Sample Collection Center / Facility	Name of Sample Collection Center / Facility, Location	Address of Sample Collection Center / Facility
0005713	Suburban Diagnostics-Colva South Goa, Gemm Diagnostics, Colva	Kurtarkar Galaxy, shop no. G-6, colva beach road, colva, near Sho-faz super market, Goa, 403708



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD., SHOP NO 11, 12, 13, SILVA JEWEL, AQUEM ALTO, MADGAON, SOUTH GOA, GOA, INDIA		
Accreditation Standard	ISO 15189:2012		
Certificate Number	MC-5274	Page No	15 of 21
Validity	17/07/2022 to 16/07/2024	Last Amended on	-

Recognised Sample Collection Center/Facility

ID of Sample Collection Center / Facility	Name of Sample Collection Center / Facility, Location	Address of Sample Collection Center / Facility
0005714	Suburban Diagnostics-Ponda South Goa, Lifecare Pathology Laboratory, Ponda	G-10, Ground floor, opposite Ponda Fire station, Warkhandem, Ponda, Goa 403401



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD., SHOP NO 11, 12, 13, SILVA JEWEL, AQUEM ALTO, MADGAON, SOUTH GOA, GOA, INDIA		
Accreditation Standard	ISO 15189:2012		
Certificate Number	MC-5274	Page No	16 of 21
Validity	17/07/2022 to 16/07/2024	Last Amended on	-

Recognised Sample Collection Center/Facility

ID of Sample Collection Center / Facility	Name of Sample Collection Center / Facility, Location	Address of Sample Collection Center / Facility
0005715	Suburban Diagnostics-Mapusa Goa, Ishanas Lab, Mapusa	Shop No. G-5, Ground Floor, Block A, Garden Centre - 1, Mapusa, Goa 403507



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD., SHOP NO 11, 12, 13, SILVA JEWEL, AQUEM ALTO, MADGAON, SOUTH GOA, GOA, INDIA		
Accreditation Standard	ISO 15189:2012		
Certificate Number	MC-5274	Page No	17 of 21
Validity	17/07/2022 to 16/07/2024	Last Amended on	-

Recognised Sample Collection Center/Facility

ID of Sample Collection Center / Facility	Name of Sample Collection Center / Facility, Location	Address of Sample Collection Center / Facility
0005716	Suburban Diagnostics-Betalbatim South Goa, ME AN ME Diagnostics, Betalbatim	House Number 123, Motiwado, Majorda, Goa 403713



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD., SHOP NO 11, 12, 13, SILVA JEWEL, AQUEM ALTO, MADGAON, SOUTH GOA, GOA, INDIA		
Accreditation Standard	ISO 15189:2012		
Certificate Number	MC-5274	Page No	18 of 21
Validity	17/07/2022 to 16/07/2024	Last Amended on	-

Recognised Sample Collection Center/Facility

ID of Sample Collection Center / Facility	Name of Sample Collection Center / Facility, Location	Address of Sample Collection Center / Facility
0005717	Suburban Diagnostics-Chicalim South Goa, SMN Healthcare, Chicalim	Shop #24, Umiya Quatro - D, Airport Road, Dabolim, Goa 403801



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD., SHOP NO 11, 12, 13, SILVA JEWEL, AQUEM ALTO, MADGAON, SOUTH GOA, GOA, INDIA		
Accreditation Standard	ISO 15189:2012		
Certificate Number	MC-5274	Page No	19 of 21
Validity	17/07/2022 to 16/07/2024	Last Amended on	-

Recognised Sample Collection Center/Facility

ID of Sample Collection Center / Facility	Name of Sample Collection Center / Facility, Location	Address of Sample Collection Center / Facility
0005718	Suburban Diagnostics-Chinchinim South Goa, Chinchinim Pathology, Chinchinim	Vegas Residency, Grnd Floor, Near St Marys of Angel School, Chinchinim, Goa, Goa, 403715



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD., SHOP NO 11, 12, 13, SILVA JEWEL, AQUEM ALTO, MADGAON, SOUTH GOA, GOA, INDIA		
Accreditation Standard	ISO 15189:2012		
Certificate Number	MC-5274	Page No	20 of 21
Validity	17/07/2022 to 16/07/2024	Last Amended on	-

Recognised Sample Collection Center/Facility

ID of Sample Collection Center / Facility	Name of Sample Collection Center / Facility, Location	Address of Sample Collection Center / Facility
0005719	Suburban Diagnostics-Curchorem South Goa, Curchorem Pathology, Curchorem	BUS STAND, KANTAK PLAZA, SHOP NO. 11, BEHIND TARUN BHARAT OFFICE NEAR CURCHOREM, Goa, Vodlemol Cacora, Goa 403706



National Accreditation Board for Testing and Calibration Laboratories

SCOPE OF ACCREDITATION

Laboratory Name :	SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD., SHOP NO 11, 12, 13, SILVA JEWEL, AQUEM ALTO, MADGAON, SOUTH GOA, GOA, INDIA		
Accreditation Standard	ISO 15189:2012		
Certificate Number	MC-5274	Page No	21 of 21
Validity	17/07/2022 to 16/07/2024	Last Amended on	-

Recognised Sample Collection Center/Facility

ID of Sample Collection Center / Facility	Name of Sample Collection Center / Facility, Location	Address of Sample Collection Center / Facility
0005720	Suburban Diagnostics-Fatorda South Goa, Friends Healthcare, Fatorda	Shop No. S4, Sai Santosh Building, Near Fatorda Ocean Spa & Salon, Murida, Fatorda, Goa 403602